



**ULTIMATE
EARS™**

UE SWITCH

ULTIMATE EARS™

NEW UE LIVE

FOR FESTIVALS
ARENAS & STADIUMS



With 7 balanced armatures and a dynamic 6mm neodymium driver, the UE LIVE is the ultimate stage performance piece. It is the fullest, richest, and most powerful in-ear monitor we've ever made!

Tech Specs:

Input sensitivity: 105 dB @ 1 kHz, 1mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 10 Ohms @ 1 kHz

Speaker

configuration:

6 balanced armatures, 1 True Tone Plus driver & one 6mm neodymium dynamic speaker with 5-way crossover.

Input connector:

1/8" headphone jack

UE 18+ PRO

AWARD-WINNING HERITAGE

The new 18+ takes the excellence of the original award-winning UE 18 Pro and adds our proprietary precision True Tone drivers. Feel upper register harmonics, hear improved presence, and enjoy clear warm sound.



Tech Specs:

Input sensitivity: 100 dB @ 1 kHz, 100 mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 37.5 Ohms @ 1 kHz

Speaker

configuration:

6 balanced armatures and 4 way passive crossover.

Input connector:

1/8" headphone jack

UE REFERENCE REMASTERED

FOR PRODUCERS AND STUDIO ENGINEERS

High Resolution studio reference monitors developed in collaboration with Capitol Studios.



Tech Specs:

Input sensitivity: 100 dB @ 1 kHz, 100 mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 35 Ohms @ 1 kHz

Speaker

configuration:

3 proprietary balanced armatures with multiple passive crossover points and triple bore sound channels.

Input connector:

1/8" headphone jack

ULTIMATE EARS™

UE 11 PRO

FOR BASS PLAYERS, DRUMMERS & DJ's
A dedicated sub delivers tight punchy bass.
The UE 11 PRO was designed specifically
for those who need more low end.



Tech Specs:
Input sensitivity: 119 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 18 Ohms@ 1 kHz
Speaker configuration: 4 proprietary balanced armatures with a 3-way crossover.
Input connector: 1/8" headphone jack

UE 7 PRO

FOR SINGERS, GUITARISTS & KEYS
Robust, powerful, and tuned for live sound.



Tech Specs:
Input sensitivity: 124 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 17.5 Ohms@ 1 kHz
Speaker configuration: 3 proprietary balanced armatures with an integrated 2-way crossover network
Input connector: 1/8" headphone jack

UE 6 PRO

FOR RHYTHM & PERCUSSION
With 2 dynamic 6mm neodymium drivers for the punch and our TrueTone™ balanced armature for the sizzle, the UE 6 PRO sounds like how drums feel!



Tech Specs:
Input sensitivity: 102.5 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 12.5 Ohms@ 1 kHz
Speaker configuration: 2 6mm neodymium dynamic speakers with 1 True Tune balanced armature. 3-way crossover.
Input connector: 1/8" headphone jack

UE 5 PRO

FOR WEEKEND PERFORMANCES
The UE 5 PRO is the original dual driver custom in-ear monitor with exceptional frequency response and extended headroom.



Tech Specs:
Input sensitivity: 119 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 21 Ohms@ 1 kHz
Speaker configuration: 2 balanced armatures with 2-way crossover.
Input connector: 1/8" headphone jack

CASES

ULTIMATE EARS™



Dimensions: 8.3 x 7.3 x 4.1 cm



Dimensions: 8.3 cm x 3.6 cm

CABLES



The new UE SuperBax cable and IPX connection system.

No phase connector issues.
Strong connection with double spring mechanism.
sweat-proof, weather-proof, tour-proof.

Maximum strong, but also fine cable quality with low impedance.
New fixable neck slider.

Available in 127 cm (50') and 163 cm (64'), color: transparent or black (with or without earloop)

BLUETOOTH CABLE (Optional Extra)

Bluetooth headset connectivity with maximum bluetooth audio quality.

Optional for your custom UEs with the new IPX connector.
Available in black



UE-PRODUCT LINE UP

YOUR BEST CHOICE FOR ALL LIFE'S STAGES

FOR DRUMMERS, PERCUSSIONISTS & BASS PLAYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE 11	4	4 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR GUITAR PLAYERS, KEYBOARDISTS & HORN PLAYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 7	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR SINGERS & VOCALISTS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 7	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR AUDIOPHILES, ORCHESTRA & STUDIO ENGINEERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE RR	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR DJ'S & PRODUCERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE RR	3	3 Balanced Armature
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR MUSIC LOVERS, PORTABLE MUSIC & FREQUENT FLYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE 11	4	4 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

UE SWITCH OPTION
CHANGE YOUR DESIGN WITH ONE CLICK



**ULTIMATE
EARS™**

DISTRIBUTED BY

FA FISCHER AMPS

Hans-Ulrich-Brey mann-Str. 3
74706 Osterburken / Germany
Phone: +49 (0) 62 91 - 6 48 79 - 0, Fax: -19
Email: info@fischer-amps.de
www.fischer-amps.de